CHESAPEAKE SCIENCE

A REGIONAL JOURNAL OF RESEARCH AND PROGRESS ON NATURAL RESOURCES

Volume XVI, 1975

MARTIN L. WILEY

Managing Editor

Published By

Center for Environmental and Estuarine Studies
University of Maryland
Chesapeake Biological Laboratory
Solomans, Maryland

Chesapeake Science Vol. 16, No. 4, p. ii–iv, December, 1975

Table of Contents

NUMBER 1, MARCH 1975

Editorial Announcement 1
KANEKO, T., R. R. COLWELL, AND F. HAMONS. Bacteriological studies of Wicomico River Soft-shell clam (*Mya arenaria*) mortalities 3
CURTIS, L. A. Distribution of *Sabellaria vulgaris* Verril (Polychaeta: Sabellariidae) on a sandflat in Delaware Bay 14
SHERIDAN, P. F. Uptake, metabolism, and distribution of DDT in organs of the blue crab, *Callinectes sapidus* 20
MILLER, R. E., S. D. SULKIN, AND R. L. LIPPSON. Composition and seasonal abundance of the blue crab, *Callinectes sapidus* Rathbun, in the Chesapeake and Delaware Canal and adjacent waters 27
STREETT, D. A., V. SPRAGUE, AND D. M. HARMAN. Brief study of microsporidian pathogens in the white pine weevil *Pissodes strobi* 32
JOHNSON, R. K., AND T. S. Y. KOO. Production and distribution of striped bass (*Morone saxatilis*) eggs in the Chesapeake and Delaware Canal 39
REESE, J. G. Osprey nest success in Eastern Bay, Maryland 56

Short Papers and Notes

WENNER, C. A., AND J. A. MUSICK. Food habits and seasonal abundance of the American eel, *Anguilla rostrata*, from the lower Chesapeake Bay 62
FOX, J. L., AND M. S. MOYER. Effect of power plant chlorination on estuarine productivity 66
MORGAN, R. P. II. Distinguishing larval white perch and striped bass by electrophoresis 68
ROHDE, F. C., R. G. ARNDT, AND J. C. S. WANG. Records of the freshwater lampreys, *Lampetra lamottenii* and *Okkelbergia aepyptera*, from the Delmarva Peninsula (East Coast, United States) 70
SCHWARTZ, F. J. A crevalle jack, *Caranx hippos* (Pisces, Carangidae), with a mandibular calcified connective tissue fibroma 72
MERRINER, J. V. Food habits of the weakfish, *Cynoscion regalis*, in North Carolina waters 74
PAYNE, N. F. Range extension of the marsh rabbit in Virginia 77

NUMBER 2, JUNE 1975

LOFTUS, M. E., AND H. H. SELIGER. Some limitations of the *in vivo* fluorescence technique 79
CUMMINGS, SUSAN GAIL. Zoid regression in *Schizoporella unicornis floridana* (Byrozoa, Cheilostomata) 93
STICKNEY, R. R., G. L. TAYLOR, AND D. B. WHITE. Food habits of five species of young Southeastern United States estuarine Sciaenidae 104
VALK, A. G., VAN DER. The floristic composition and structure of foredune plant communities of Cape Hatteras National Seashore 115

RITCHIE, D. E., JR., AND J. B. GENYS. Daily temperature and salinity of surface water of Patuxent River at Solomons, Maryland, based on 30 years of records (1938–1967) 127

Short Papers and Notes

BOWMAN, T. E. *Oithona colcarva*, n. sp., an American copepod incorrectly known as *O. brevicornis* (Cyclopoida: Othonidae) 134
SULKIN, S. D., AND R. E. MILLER. Modified commercial crab and oyster dredges as sampling devices for the blue crab *Callinectes sapidus* Rathbun 137
JENSEN, A. L. Computer simulation of effects on Atlantic menhaden yield of changes in growth, mortality, and reproduction 139
HOCUTT, C. H., AND J. R. STAUFFER. Influence of gradient on the distribution of fishes in Conowingo Creek, Maryland and Pennsylvania 143
SOUTHWICK, C. H., AND F. W. PINE. Abundance of submerged vascular vegetation in the Rhode River from 1966 to 1973 147

NUMBER 3, SEPTEMBER 1975

WEINER, RONALD M., L. SCHIMEL, AND S. ROSEN. The isolation of *Hyphomicrobium* from the mouth of the Patuxent River and the isolation and characterization of *Hyphomicrobium* from a Rock Creek tributary .. 153
FRAZIER, J. M. The dynamics of metals in the American oyster, *Crassostrea virginica*. I. Seasonal effects 162
GRIMES, C. B. Entrapment of fishes on intake water screens at a steam electric generating station 172
JENKINS, R. E., AND N. M. BURKHEAD. Distribution and aspects of life history and morphology of the cyprinid fish *Notropis semperasper* endemic to the upper James River drainage, Virginia 178
ST. PIERRE, R. A., AND W. J. HOAGMAN. Drastic reduction of the white perch, *Morone americana*, population in the James River, Virginia 192
ERNST, C. H. Skull key to adult land mammals of Delaware, Maryland, and Virginia 198

Short Papers and Notes

ORTH, R. J. Destruction of eelgrass, *Zostera marina*, by the cownose ray, *Rhinoptera bonasus*, in the Chesapeake Bay 205
CRAWFORD, ELIZABETH A., AND P. J. HOMSHER. DNA studies of a Chesapeake Bay population of the tunicate *Molgula manhattensis* (DeKay) (Ascidiacea) 208
FRITZ, E. S., W. H. MEREDITH, AND V. A. LOTRICH. Fall and winter movements and activity level of the mummichog, *Fundulus heteroclitus*, in a tidal creek 211
RICHARDSON, SALLY L., AND E. B. JOSEPH. Occurrence of larvae of the green goby, *Microglobius thalassinus*, in the York River, Virginia .. 215
FELLERS, GARY M. Behavioral interactions in North American treefrogs (Hylidae) 218

HENNY, C. J., AND V. D. STOTTS. Osprey productivity during the mid-fifties in a portion of Chesapeake Bay 219

Reviews

Coastal Ecological Systems of the United States. The Conservation Foundation, Washington, D. C. (Edited by H. T. Odum, B. J. Copeland, and E. A. McMahan.) Reviewed by GORDON GUNTER ... 221
Marine Environmental Implications of Offshore Oil and Gas Development in The Baltimore Canyon Region of the Mid-Atlantic Coast 221

NUMBER 4, DECEMBER 1975

FOX, R. S., AND K. H. BYNUM. The amphipod crustaceans of North Carolina estuarine waters 000
ROBERTS, M. H. JR. Description of a pea crab, *Pinnotheres chamae*, sp. nov. from the jewel box, *Chama congregata* 000
ROBERTS, M. H. JR. Larval development of *Pinnotheres chamae* reared in the laboratory 000
HAEFNER, P. A., JR. AND W. A. VAN ENGEL. Aspects of molting, growth and survival of male rock crabs, *Cancer irroratus*, in Chesapeake Bay 000
RAWLS, C. K. Mechanical control of eurasian watermilfoil in Maryland with and without 2, 4-D application 000

Short Papers and Notes

ABLE, K. W., AND M. CASTAGNA. Aspects of an undescribed reproductive behavior in *Fundulus heteroclitus* (Pisces: Cyprinodontae) from Virginia 000
DUGGAN, W. P. Reactions of the bay scallop, *Argopecten irradians*, to gradual reductions in salinity 000
REINHART, K., AND T. D. MYERS. Eye and tentacle abnormalities in embryos of the Atlantic oyster drill, *Urosalpinx cinerea* 000
Books Received 000
Index to Volume 16 000

Chesapeake Science Vol. 16, No. 4, p. 291–296 December, 1975

General Index

A

Able, K. W., and M. Castagna, 282–4
Acanthohaustorius intermedius, 226, 231
  millsi, 226, 231
Acartia tonsa, 107
Acetes americanus carolinae, 108
Achirus lineatus, 175
Achromobacter spp., 10
Aegathoa oculata, 107
Aeromonas hydrophila, 4, 7
Agnes, Tropical Storm, 207
Alcyonidium sp. 256
Alewife, 45, 63
Alosa pseudoharengus, 63, 64
Alosa spp., 45
Alpheus heterochelis, 108
  normanni, 108
Aluterus schoepfi, 175
Amaranthus pumilis, 119
Amathia distans, 107
American beachgrass, 115–6
American eel, 45, 62, 63, 174
American oyster, 162
Ammophilia breviligulata, 115–21, 123–4
Ampelisca abdita, 107, 224–5, 233
  vadorum, 107, 224–5, 230, 233
  verrilli, 64, 225, 230, 233
Amphipholis sp., 112
  squamata, 108
Amphiporeia virginiana, 226, 230, 233
Ampithoe longimana, 225, 230, 235
  valida, 223–4, 230, 235
Amphitrite ornata, 227
Anchoa hepsetus, 173–4
  mitchilli, 45, 108, 112, 173–4
  sp., 74–6
Anchovies, 74, 76
Ancylopsetta quadrocellata, 173–4
Andropogon virginicus, 77, 119, 121
Anguilla rostrata, 45, 62–5, 144, 174
Anthonomus grandis, 34
Arbacia, 251
Archosargus probatocephalus, 174
Arenicola marina, 242, 251
Argissa hamatipes, 223, 225, 229–30
Argopecten irradians, 284
Arius felis, 173–4
Arsenic, 196
Artemia, 242, 251
Ascidia nigra, 241
Ascidians, 208–11
Atlantic bumper, 174
  croaker, 174
  cutlass fish, 174
  menhaden, 45
  midshipman, 174
  moonfish, 174
  needlefish, 174
  oyster drill, 286
  spadefish, 174
  stingray, 174
  thread herring, 174
Atriplex arenaria, 117
Atylus minikoi, 225, 230, 233

B

Bacteria, 3–7, 10, 153–54
Bagre marinus, 174
Bairdiella chrysura, 75, 104, 106, 109, 112–3, 173–4
Balanus improvisus, 64
Bandtail puffer, 175
Barbfish, 174
Barnacles, 206
Bat, big brown, 201
  evening, 201
  hoary, 201
  little brown, 201
  northern yellow, 201
  Rafinesque's big-eared, 201
  red, 201
  Seminole, 201
  silver-haired, 201
  Townsend's big-eared, 201
Batea catharinensis, 107, 225, 229–30
Bathyporeia parkeri, 226, 230, 233
Bats, 200
Bay anchovy, 45, 112, 174
Bay scallop, 284–6
Beaver, 203
Bighead searobin, 174
Bison bison, 198, 203
Bivalves, 63, 65
Black bear, 203
Blackcheek tonguefish, 175
Blackedge moray, 174
Blarina brevicauda, 200
  telmalestes, 200
Blue crab, 21–5, 27–30, 62, 137–8, 207
  DDT effects, 20–26
Blueback herring, 45
Bluefish, 174
Bluestriped grunt, 174
Bobcat, 204
Boll weevil, 37
Bowman, Thomas E., 134–7
Brachionus plitia, 69
Brevoortia tyrannus, 45, 63, 74–6, 174
Brook trout, 184
Brown tide, 150
Bryozoans, 93, 112
Bugula, 94, 97
Burkhead, N. M., and R. E. Jenkins, 178–91
Busycon canaliculatum, 169
Bynum, K. H., and R. S. Fox, 223–37

C

Cadmium, 162–70, 196
Cakile edentula, 117, 119, 121
Calamus arctifrons, 174
Calcium, 168, 262, 263
Callinectes sapidus, 21–3, 25, 62, 64–5, 75, 108, 137, 207–8, 253, 263
Campostoma anomalum, 144–5
Cancer irroratus, 253–61, 263–5
  magister, 20, 25, 264
  pagurus, 264–5
Canis familiaris, 198, 204
  latrans, 204
  lupus, 198, 204
Caprella equilibra, 228, 230, 235
  penantis, 228, 230, 235
Caranx hippos, 72, 174
Carbohydrates, 5, 9
Carcinus maenus, 25
  pagurus, 25
Carduus spinossissimus, 119, 121
Carp spawning, 150
Carpiodes cyprinus, 146
Castagna, M., and K. W. Able, 282–4
Castor canadensis, 203
Catostomus commersoni, 143–5
Cenchrus tribuloides, 117, 121
Centropristis melana, 174
Cerapus tubularis, 107, 225, 230, 232
Cerataulina bergonii, 79, 85–6, 90
Ceratophyllum dermersum, 149
Cervus canadensis, 198, 203
  nippon, 198, 203
Chaetodipterus faber, 174
Chama congregata, 238, 241–2, 252
Channel catfish, 196
Chasmodes saburrae, 174
Chenopodium ambrosidides, 119
Chilomycterus schoepfi, 173
Chiridotea coeca, 107
  sp. 107
Chlorella, 80, 86, 150
  sp. 95
Chlorine, 196
Chloris petraea, 119
Chlorophyll, 79–90
Chloroscombrus chysurus, 174
Chromium, 163, 166, 196
Ciona intestinalis, 210
Citharichthys macrops, 175
Clam, 63
  soft shell, 3–7, 10–12
Clethrionomys gapperi, 202
Clinostomus funduloides, 144–5
Clymenella torquata, 107
Cobalt, 163, 165, 166
Coccinella septempunctata, 34–5
Coliforms, 4, 6, 11
Colomastix halichondriae, 225, 229, 230
Colwell, R. R., F. Hamons, and T. Kaneko, 3–13
Commelina erecta, 119, 121
Coontail, 149
Copepod, 69, 73, 105–6, 110–13, 134
Copper, 162–70, 196
Coral nodules, 239
Corophium, 232
  acherusicum, 225, 230, 233
  acutum, 225, 230, 232
  aquafuscum, 232
  insidiosum, 223, 226, 230, 233
  lacustre, 107, 226, 230, 232
  simile, 226, 230, 233
  sp. 107
  tuberculatum, 226, 230, 233
Cownose ray, 205–7
Coyote, 204
Cobia, 174

Crabs, 20, 22, 25
blue, 253–4
red, 261
rock, 253–4, 260–1, 265
osmoregulation, 260–1, 263
seasonal molts, 261–2
temperature-salinity tolerance, 254–5, 257, 259, 262, 265
width-weight relationship, 255, 258–9, 264
Crangon crangon, 30
septemspinosus, 21, 64
Crassostrea gigas, 10
virginica, 10, 162, 169
Crawford, E. A., and P. J. Homsher, 208–11
Crevalle jack, 72, 174
Croton punctatus, 119, 121
Cryptotis parva, 200
Cummins, Susan Gail, 93–103
Cunner, 70
Curly pondweed, 149
Curtis, L. A. 14–9
Cyanophyceae, 81
Cyathura polita, 64
Cyclotella nana, 81–2, 84, 95
Cymadusa compta, 225, 230, 235
Cynodon dactylon, 117, 119, 121
Cynoscion arenarius, 174
nebulosus, 174
regalis, 74–5, 104, 106, 109–10, 112–3, 196
Cyperus esculentus, 117, 121
strigosus, 119
Cyprinis carpio, 146

D

Darters, 146, 178
Dasyatis sabina, 174
DDD, 21–5
DDE, 21–5
DDT, 20–5
Decapods, 30, 110–11, 113
Deer, 73
Dendroctonus pseudotsugae, 34
Dendrodoa grossularia, 209–10
Diatom, 85–6, 251
Diatoma sp., 86
Didelphis marsupialis, 198–200
Dinoflagellate, 79, 86, 251
Diodia teres, 117, 121
Diospyros virginicus, 77
Diplodus holbrooki, 174
Diplosoma listerianum, 209–10
DNA, 155, 208–10
Domestic cat, 198, 204
dog, 198, 204
Duggan, W. P., 284–6
Dunaliella tertiolecta, 81–2, 95

E

Eastern chipmunk, 203
pipistrelle, 201
woodrat, 202
Edotea montosa, 107
triloba, 64
Elasmopus levis, 226, 230, 233
Electra crustulenta, 94
Elk, 198, 203
Elodea, 148–9
canadensis, 147–9, 271
Elops saurus, 174
Epinephelus drummondhayi, 73
Eptesicus fuscus, 201
Eragrostis spectabilis, 117, 120–1
Erethizon dorsatum, 198, 203
Erichthonius brasiliensis, 107, 226, 230, 232, 235
Erigeron canadensis, 117–21, 124
Ermine, 204
Ernst, C. H., 198–204
Escherichia coli, 4–6
Etheostoma longimanum, 178
olmstedi, 144, 146
zonale, 146
Etropus crossotus, 175
Eucinostomus argenteus, 174
gula, 173–4
sp. 75
Eupatorium capillifolium, 119, 121
Euphorbia polygonifolia, 117–9, 121
Eurasian watermilfoil, 266–281
herbicide testing, 2, 4-D BEE, 266–281
2,4-D IOE, 280
survey, 267
Eurypanopeus depressus, 64, 108
Eurytemora affinis, 69
Exoglossum maxillingua, 143–6

F

Feather blenny, 174
Felis concolor, 198, 204
domesticus, 198, 204
Fellers, G. M. 218–19
Fisher, 204
Florida blenny, 174
Foredune plants, 115, 117–9, 121, 123–5
Fox, R. S., and K. H. Bynum, 223–7
Fox squirrel, 203
Fragillaria sp., 84
Frazier, J. M., 162–71
Fringed filefish, 175
flounder, 175
Fritz, E. S., V. A. Lotrich, and W. H. Meredith, 211–4
Frogs, 218–9
Fundulus confluentus, 283
grandis, 283
heteroclitus, 108, 211, 213–4, 282–3

G

Gafftopsail catfish, 174
Gag, 174
Gammaropsis maculata, 227, 230, 235
Gammarus daiberi, 64, 226, 235
mucronatus, 64, 226, 230, 235
palustris, 107, 226, 230, 235
sp., 64, 107, 224, 226, 229, 235
tigrinus, 107, 226, 230, 235
Gapper's red-backed mouse, 202
Garlic sponge, 227
Gemma gemma, 64
Genys, J. B., and D. E. Ritchie, Jr., 127–33
Geryon quinquedens, 261
Gitanopsis sp., 225, 233
Glaucomys sabrinus, 203
volans, 203
Glugea gasti, 36
Gnaphalium obtusifolium, 117–8, 120–1, 124
Gobiosoma bosci, 45, 215–6
ginsburgi, 215–6
Gonocephalum arenarium, 34
Gonyaulax catanella, 81, 84
polyedra, 81–2, 84
Grandidierella bonnieroides, 223–4, 230, 232, 233
Grass porgy, 174
Gray flounder, 175
fox, 204
snapper, 174
wolf, 198, 204
Green goby, 215
Grimes, C. B., 172–7
Gulf menhaden, 174
toadfish, 174
Gymnodinium nelsoni, 81, 82, 84
splendens, 84
sp. 150
Gymnothorax nigromarginatus, 174
Gymnura micrura, 174

H

Haefner, P. A., Jr., and W. A. Van Engel, 253–65
Haemulon plumieri, 174
sciurus, 174
Haustorius sp., 224, 226, 231
Halfbeak, 174
Hamons, F., R. R. Colwell, and T. Kaneko, 3–13
Harengula pensacolae, 174
Harman, D. M., V. Sprague, and D. A. Streett, 32–8
Harvestfish, 174
Henny, C. J., and V. D. Stotts, 219–20
Hermit crab, 21
Herring, 45
Hexapanopeus augustifrons, 108
Hippocampus sp., 174
Hippodamia convergens, 34
tredecimpunctata, 34
Hoagman, W. J., and R. S. St. Pierre, 192–7
Hocutt, C. H., and J. R. Stauffer, 143–7
Hogchoker, 175, 195
Homarus americanus, 25
Homsher, P. J., and E. A. Crawford, 208–11
Horned pondweed, 148–9
Hurricane Agnes, 267
Hyale plumuosa, 228, 230, 234
Hyalella azteca, 224, 234
Hydrocotyle bonariensis, 115, 117–9, 121, 124
Hydrophlox, 187
Hyla avivoca, 219
chrysoscelis, 219
cinerea, 218–9
crucifer, 219
regilla, 219
versicolor, 218–9
Hypentelium nigricans, 144, 146
Hypera postica, 35
Hyphomicrobium, 154–6, 159–60
indicum, 159
neptunium, 154–5, 159–60
RC, 154–60

vulgare, 156, 159
Hyporhamphus unifasciatus, 174
Hypsoblennius hentzi, 174

I

Ictalurus catus, 196
nebulosus, 144–5
punctatus, 144, 146, 196
Idunella sp., 224, 227, 233
Inshore lizardfish, 174
Ipomoea sagittata, 119
Ips typhographus, 35
Iron, 162–8, 170
Iva frutescens, 77
imbricata, 117, 121

J

Jassa falcata, 227, 230, 235
Jasus lalandii, 25
Jenkins, R. E., and N. M. Burkhead, 178–91
Jensen, A. L., 142
Jewel box, 238
Johnson, R. K., and T. S. Y. Koo, 39–55
Joseph, E. B., and S. L. Richardson, 215–8
Juncus romerianus, 104
Juniperus virginiana, 119

K

Kaneko, T., R. R. Colwell, and F. Hamons, 3–13
Killifishes, 283
Koo, T. S. Y., and R. K. Johnson, 39–55

L

Labidocera aestiva, 107
Labyrinthula, 208
Lactophrys quadricornis, 173
Ladyfish, 174
Lagodon rhomboides, 75, 173–4
Lamprey, 70–1
Lampetra lamottenii, 70
Lasionycteris noctivagans, 201
Lasiurus borealis, 201
cinereus, 201
intermedius, 201
seminolus, 201
Latreutes parvulus, 108
Latuca canadensis, 119, 121
Lauderia borealis, 84
Lead, 163, 166, 196
Least weasel, 204
Leather jacket, 174
Leiostomus xanthurus, 21, 75–6, 104, 106, 109, 110–3, 174, 196
Lembos smithi, 225, 230, 233
sp., 224–5, 233
websteri, 225, 230, 233
Leopard searobin, 174
Lepidactylus dytiscus, 226, 231
Lepidium virginicum, 121
Lepomis auritus, 144
gibbosus, 144
macrochirus, 144–5
Leptinotarsa decemlineata, 34
Leptocheirus pinguis, 225, 230, 233, *plumulosus*, 64, 225, 230, 233
Leptochelia serratorbita, 107
Leptodius floridanus, 20, 25
Leptura rubra, 34
Lepus americanus, 201
Leucon americanus, 107, 110
Leucothoe spinicarpa, 227, 230, 232–3
Lined sole, 175
Lipids, 20, 23–4
Lippson, R. L., R. E. Miller, and S. D. Sulkin, 27–31
Lironeca sp., 74–5
Lissodendoryx isodictyalis, 227
Listriella barnardi, 227, 230, 233
clymerellae, 227, 230, 233
sp., 108, 224, 227, 233
Lobster, 63
Loftus, M. E., and H. H. Seliger, 79–92
Lolium multiflorum, 77
Long-tailed weasel, 204
Lookdown, 174
Lotrich, V. A., E. S. Fritz, and W. H. Meredith, 211–4
Luconacia incerta, 228, 230, 235
Lucibacterium harveyi, 5, 11
Lutjanus campechanus, 73
griseus, 174
vivanus, 73
Lutra canadensis, 204
Lynx canadensis, 204
rufus, 204
Lysianassa alba, 227, 229–30

M

Mackerel, 212
Macoma balthica, 63
mitchelli, 63
sp., 62–4
tenta, 63
Maera sp., 224, 226, 233, 235
Magnesium, 262, 263
Manganese, 162–8, 170, 196
Marasmius blight, 122
Marmota monax, 203
Martes americana, 198, 204
pennanti, 204
Meadow vole, 202
Melita appendiculata, 226, 230, 235
nitida, 108, 226, 230, 235
sp., 107
Melolontha melolontha, 34
Membranipora, 97
Menhaden, 21, 63, 74, 76, 140–1, 212
Menidia beryllina, 174
Mephitis mephitis, 204
Mercury, 196, 288
Meredith, W. H., E. S. Fritz, and V. A. Lotrich, 211–4
Merriner, J. V., 74–6
Metapenaeus affinis, 24
Menticirrhus sp., 75
Microdeutopus sp., 224–5, 233
Microgmathus sp., 174
Microgobius thalassinus, 215–6
Micropogon undulatus, 75, 104, 106, 111, 113, 174, 196
Microprotopus raneyi, 227, 230, 235
Micropterus dolomieui, 144
salmoides, 146
Microsorex hoyi, 200
Microtus chrotorrhinus, 202
pennsylvanicus, 202
pineforum, 202
Miller, R. E., R. L. Lippson, and S. D. Sulkin, 27–31
Miller, R. E., and S. D. Sulkin, 137–9
Mink, 204
Modiolus demissus, 282–3
Moles, 200
eastern, 200
hairy-tailed, 200
star-nosed, 200
Molgula manhattensis, 108, 208, 210
occidentalis, 241
Mollusks, 11, 63, 106, 111–3
Monacanthus ciliatus, 175
hispidus, 175
Monochrysis lutheri, 81–2, 84
Monoculodes edwardsi, 64, 108, 227, 230, 233
Moose, 73
Morgan, R. P., II, 68–70
Morone americana, 43, 45, 68, 192
saxatilis, 40, 45, 65, 195
Mountain lion, 198, 204
Mouse, cotton, 202
deer, 203
Eastern harvest, 202
golden, 203
house, 202
meadow jumping, 202
white-footed, 203
woodland, jumping, 202
Mud shrimp, 227
Mugil cephalus, 174
Mulinia lateralis, 63–4
Mummichog, 211–2, 214, 282
Mus musculus, 202
Musick, J. A., and C. A. Wenner, 62–6
Muskrat, 202
Mustela erminea, 204
frenata, 204
nivalis, 204
vison, 204
Mya arenaria, 3, 62–4, 205
Mycteroperca microlepis, 73, 174
phenax, 73
Myer, T. D., and Kurt Reinhart, 286–8
Myocaster coypus, 198, 203
Myotis, griscescens, 201
keenii, 201
leibii, 201
lucifugus, 201
sodalis, 201
Myrica cerifera, 77, 119
Myriophyllum spicatum, 147–9, 266–7, 277

N

Naked goby, 45
Napaeozapus insignis, 202
Neohaustorius schmitzi, 226, 231
Neomysis americana, 104–6, 108–13
Neopanops texana, 64
Neotoma floridana, 202
Nereis succinea, 64, 106–7, 109–10
Nickel, 163, 166
Nitszchia signoides, 251
Nocomis, 182–3, 189
micropogon, 144–5
raneyi, 182
Nosema sp., 33–7

coccinellae, 34
curvidentis, 34
dendroctoni, 34
gasti, 34, 36–7
gibbsi, 34–5
hippodamiae, 34
leptinotarsae, 34
lepturae, 34
longifilum, 34
melolonthae, 34
oryzaephili, 35
otiorrhynchi, 35–6
phyllotreatae, 35
scolyti, 35
tracheophila, 35
typographi, 35
weiseri, 35
whitei, 35
Notemigonus crysoleucas, 146
Notropis, 178, 184, 186–7, 189
amoenus, 146, 189
analostanus, 144, 186
ardens, 182, 186
baileyi, 187
cerasinus, 180
chrosomus, 187
cornutus, 182, 186
hudsonius, 144–5
photogenis, 189
procne, 144, 146
rubellus, 144–5, 182, 189
scepticus, 189
semperasper, 178–89
spilopterus, 144
volucellus, 180
Noturus gilberti, 180
insignis, 144
Nutria, 198, 203
Nycticeius humeralis, 201

O

Ocellated flounder, 174
Ochrotomys nuttalli, 203
Odocoileus virginianus, 203
Oenothera humifusa, 117, 119, 121
Ogcocephalus radiatus, 173–4
Ogyrides limicola, 64, 108
Oithona brevicornis, 134–5
colcarva, 134–6
hebes, 134–5
similis, 134
Okkelbergia aepyptera, 71
Oligoplites saurus, 174
Ondatra zibethicus, 202
Ophichthus gomesi, 174
Opisthonema oglinum, 74–5, 174
Opossum, 198–200
Opsanus beta, 174
tau, 108
Orange filefish, 175
Orchestia sp., 108
grillus, 228, 230, 233
platensis, 228, 231–2, 233
uhleri, 228–231, 233
Organochlorine poisoning, 23
Orth, R. J., 205–8
Orthopristis chrysoptera, 174
chrysopterus, 75–6, 173
Oryzaephilus surinamensis, 35
Oryzomys palustris, 202
Osprey, 56–61, 219–20
Ostrea, 251
Otiorrhynchus fuscipes, 34
liqustici, 35
Oxygen, 196
Oxyurostylis smithi, 107
Oyster banks, 224
Oysters, 3–4, 6, 10–11, 162–3, 165, 170

P

Pagurus longicarpus, 21
Palaemonetes pugio, 108
sp., 75, 108
vulgaris, 20, 108
Pandion haliaetus, 56
haliaetus carolinensis, 219
Panicum amarulum, 121
amarum, 115, 117–8, 121
Panopeus herbstii, 20, 25, 64, 108
Paracaprella tenuis, 228, 231, 235
Parahastorius attenuatus, 226, 231
longimerus, 226, 231–2
schmitzi, 226
Paralichthys albigutta, 175
dentatus, 196
Parametopella cypris, 228–9, 231
Paraphoxus epistomus, 227
floridanus, 227
spinosus, 227, 231
Parapleustes aestuarius, 227, 231, 233
Paraprionospio pinnata, 107
Parascalops breweri, 200
Parhyale hawaiensis, 228, 231, 233
Pasteurella piscicida, 196
sp., 196
Payne, N. F., 77–8
Pea crab, 238
Pectinaria gouldi, 64
Penaeus duorarum, 21, 25, 30, 113
setiferus, 21, 25, 30, 108, 113
sp., 108
Peprilus alepidotus, 174
triacanthus, 75
Perca flavescens, 45
Percina caprodes, 146
notogramma montuosa, 178
peltata, 146
Peromyscus gossypinus, 202
leucopus, 203
maniculatus, 203
Persea borbonia, 119
Pesticides, 20
Petromyzon marinus, 71
pH, 4, 154, 158, 181, 196, 209–10
Phaeodactylum tricornutum, 81–4, 87–9, 95
Photobacterium iodinum, 5, 11
pierantonii, 5, 11
Phoxocephalus spinosus, 233
Phragmatopoma lapidosa, 14, 18
Phyllotreta atra, 35
Physalis viscosa, 117, 119, 121
Phytolacca americana, 119
Phytoplankton, 79–80, 90
Pigfish, 174
Pimephales notatus, 144, 146
Pine, F. W., and C. H. Southwick, 147–151
Pine mouse, 202
Pinfish, 174
Pinnixa sp., 108
Pinnotheres chamae, 238–41, 242–252
latissimus, 242, 251
maculatus, 242, 251
moseri, 239, 241–2, 251
novaezealandiae, 242, 251
ostreum, 242, 249, 251–2
piscum, 242, 251–2
ridgewayi, 242, 251
taylori, 251–2
veterum, 242, 251–2
Pipefish, 174
Pipistrellus subflavus, 201
Pissodes strobi, 32, 35–6
Pityocteines curvidens, 34
Planehead filefish, 175
Plankton, 100, 150
Plecotera, 64
Plecotus rafinesquii, 201
townsendii, 201
Podocerus brasiliensis, 227, 231–2
Polkadot batfish, 174
Pomatomus saltatrix, 174
Pondweed, least 271
sago, 271
Pontharpinia epistoma, 227
floridana, 227
Porcupine, 198, 203
Portunus pelagicus, 24
Potamogeton crispus, 149
pectinatus, 147–9, 271
perfoliatus, 147–9, 271
pusillus, 271
Prionotus scitulus, 174
tribulus, 173–4
Procyon lotor, 203
Prorocentrum minimum, 86
Protohaustorius wigleyi, 227, 231
Pseudodiaptomus coronatus, 105–7, 109–13
Pseudomonas enalia, 10
spp., 10
Pyrocystis lunula, 89
Pyrodinium bahamense, 83–4

R

Rabbit, 77
cottontail, eastern, 201
cottontail, New England, 202
marsh, 201
snowshoe, 201
Raccoon, 203
Rachycentron canadum, 174
Rat, black, 202
cotton, 202
Norway, 202
rice, 202
Rattus norvegicus, 202
rattus, 202
Rawls, Charles K., 266–81
Red drum, 174
fox, 204
tide, 150
Redheadgrass, 148–50, 271
Reese, J. G., 56
Reinhart, Kurt, and T. D. Myers, 286–8
Reithrodontomys humulis, 202
Rhinichthys atratulus, 143–6
cataractae, 144–5
Rhinoptera bonasus, 205
Rhithropanopeus harrisii, 108
Rhizopertha dominica, 35
Rhizosolenia delicutula, 85–6
sp., 79, 90
Rhomboplites aurorubens, 73

Rhus copallina, 119
Ribbed mussel, 282–3
Richardson, S. L, and E. B. Joseph, 215–18
Ritchie, D. E., Jr., and J. B. Genys, 127–33
River otter, 204
Roberts, Morris H., Jr., 238–41, 242–252
Rock vole, 202
Rosen, S., L. Schimel, and R. M. Weiner, 153–61
Roughhead shiner, 178, 183
Rubus allegheniensis, 77
Rumex hastatulus, 119
Ruppia maritima, 147–8, 271

S

Sabellaria, 15–6, 18
alveolata, 18
vulgaris, 14–9
Sago pondweed, 148–9
St. Pierre, R. A., and W. J. Hoagman, 192–7
Salinity, 127–33, 284–286
Salmo gairdneri, 146
Salmonella typhimurium, 156, 159
Salmo trutta, 144–5
Salsola kali, 121
Salvelinus fontinalis, 146
Sand seatrout, 174
Scaled sardine, 174
Scalopus aquaticus, 200
Schimel, L., S. Rosen, and R. M. Weiner, 153–61
Schizoporella unicornis floridana, 93–6, 101–2
Schwartz, F. J., 72–3
Sciaenops ocellata, 174
Scirpus, 148
Sciurus carolinensis, 203
niger, 203
Scolytus ensifer, 35
multistriatus, 35
pygmates, 35
scolytus, 35
Scomberomorus maculatus, 75, 174
Scorpaena brasiliensis, 174
Scrawled cowfish, 175
Sea catfish, 174
oats, 115
Seahorse, 174
Secale cereale, 77
Selene vomer, 75, 174
Seliger, H. H., and M. E. Loftus, 71–92
Semotilus atromaculatus, 143
corporalis, 144–4
Sesarma cinereum, 108
reticulatum, 108
sp., 108
Setaria geniculata, 119
Sheepshead, 174
Shellfish, 10, 269
Sheridan, P. F., 20–6
Shrew, 200
least, 200
long-tailed, 201
masked, 201
pygmy, 200
short-tailed, 200
smoky, 201
southeastern, 201
swamp short-tailed, 200
water,
Shrimp, 20, 63, 74–6, 106, 113
eel, 174
Sigmodon hispidus, 202
Silver jenny, 174
perch, 104, 174
Sitka deer, 198, 203
Skeleton shrimps, 228–9
Skeletonema, 251
Smilax sp., 77
Smooth butterfly ray, 174
Solanum gracile, 119
Solidago sempervirens, 117, 119–21
Sorex cinereus, 201
dispar, 201
fumeus, 201
longirostris, 201
palustris, 200
Southern bog lemming, 202
hake, 174
puffer, 175
seabass, 174
Southwick, C. H., and F. W. Pine, 147–51
Spanish mackerel, 174
Spartina, 148, 223–4, 226, 228
alterniflora, 104, 112
cynosuroides, 77
patens, 117–21
Sphaeroma quadridentatum, 107
Sphoeroides nephelus, 173, 175
spengleri, 175
Spilogale putorius, 204
Spot, 104, 110, 174
Spotfin mojarra, 174
Spottail pinfish, 174
Spotted skunk, 204
trout, 174
whiff, 175
Sprague, V., D. M. Harman, and D. A. Streett, 32–8
Squilla empusa, 64, 107
sp., 107
Squirrel, gray, 203
northern flying, 203
red, 203
southern flying, 203
Star drum, 104
Statoblast, 93
Stauffer, J. R., and C. H. Hocutt, 143–7
Stellifer lanceolatus, 104, 106, 112–3
Stenothoe crenulata, 228
gallensis, 228, 231, 235
minuta, 228
sp., 224, 228, 231, 235
valida, 228, 231, 235
Stickney, R. R., G. T. Taylor, and D. B. White, 104–14
Stotts, V. D., and C. J. Henny, 219–20
Streett, D. A., D. M. Harman, and V. Sprague, 32–8
Striped anchovy, 174
bass, 40–1, 43–54, 68, 69, 196
burrfish, 175
mullet, 174
skunk, 204
Strongylura marina, 174
Strophostyles helvola, 117–9, 121, 124
Styela plicata, 210
Sulkin, Stephen D., and R. E. Miller, 137–9
R. L. Lippson, and R. E. Miller, 27–31
Summer flounder, 196, 212
Sylvilagus floridanus, 201
floridanus mallurus, 77
palustris, 201
palustris paludicola, 77
transitionalis, 202
Symphurus plagiusa, 175
Synaptomys cooperi, 202
Synchelidium americanum, 227, 231, 233
Syngnathus sp., 174
Synodus foetens, 75, 108, 174

T

Tabellaria sp., 86
Talorchestia, 229, 233
longicornis, 228, 231, 233
megalophthalma, 228, 231, 233
Tamias striatus, 203
Tamiasciurus hudsonicus, 203
Tautoga onitis, 70
Tautogolabrus adspersus, 70
Taylor, G. L., R. R. Stickney, and D. B. White, 104–14
Temperature, 127–33, 164
Thalassiosira sp., 86
Thread herring, 74–6
Tidewater silverside, 174
Tiron tropakis, 228, 231
Trachypeneus constrictus, 108
Tribolium castaneum, 35
Trichophoxus epistomus, 227, 231, 233
floridanus, 227, 231, 233
Trichoptera, 64
Trichurus lepturus, 174
Trifolium repens, 77
Trinectes maculatus, 175, 195
Triplasis purpurea, 117, 119, 212
Triticum aestivum, 77
Tunicates, 208–211
Typha, 148

U

Uca annulipes, 24
sp., 108
pugnax, 21, 108
Unciola dissimilis, 232
irrorata, 225, 231–2
serrata, 107, 110, 225, 231–2
sp., 107
Uniola paniculata, 115, 117–21, 123–4
Upogebia affinis, 227
sp., 108
Urocyon cinereoargenteus, 204
Urophycis floridanus, 174
regius, 75
Urosalpinx cinera, 286–8
Ursus americanus, 203

V

Vallisineria americana, 149, 271
van Der Valk. A. G., 115–26

Van Engel, W. A., and Paul A. Haefner, Jr., 253–65
Vibrio alginolyticus, 4–5, 7, 11
anguillarum, 4–5, 7, 11
cholerae, 5, 11
haloplanktis, 5, 11
ichthyodermis, 5, 11
marinofulvus, 5, 11
marinopraesens, 5, 11
parahaemolyticus, 4–7, 11
ponticus, 5, 11
sp., 7, 10–12
Victorella pavida, 93
Vitis sp., 119
Vomer setapinnis, 174
Vulpes vulpes, 204

W

Wang, J. C. S., 70–2
Watermilfoil, 147–9
Watersipora, 97
Weakfish, 74–6, 104, 196
Weiner, R. M., S. Rosen, and L. Schimel, 153–161
Wenner, C. A., and J. A. Musick, 62–6
White, D. B., R. R. Stickney, and G. L. Taylor, 104–14
White catfish, 195
grunt, 174
perch, 43, 45, 68–9, 192–7
pine weevil, 32–7
White-tailed deer, 203
Widgeongrass, 148–54, 271
Wild celery, 150, 271
Woodchuck, 203

X

Xiphopeneus kroyeri, 108

Y

Yellow perch, 45

Z

Zannichellia palustris, 147–9
Zapus hudsonius, 202
Zinc, 162–70, 196
Zoids, 93–102
Zostera, 224–5
marina, 205–7